

CIRCLE FIRE PIT KITS

WITH CROSSFIRE BURNER



42"

54"

60"

72"

SPECIFICATIONS (See page 140 for line drawing details.)

Model	BTU's	Overall Dimensions	Pan Dimensions	Burner Dimensions	Weight
FC42	120,000	42"W x 42"D x 18 1/2"H*	24"W	13"L x 13"D	107 lbs
FC54	180,000	54"W x 54"D x 18 1/2"H*	30"W	17"L x 15"D	142 lbs
FC60	290,000	60"W x 60"D x 18 1/2"H*	36"W	21 1/2"L x 21 1/2"D	162 lbs
FC72	350,000	72"W x 72"D x 18 1/2"H*	48"W	30 1/2"L x 30 1/2"D	212 lbs

*Front Elevation: 19 3/4" to Top of Burner

- Propane tank cannot be placed inside.
- For outdoor/exterior use only.
- Modification of product will void any certification and warranty.
- Follow all installation instructions and local codes.
- Recommended to be installed by a certified plumbing professional.
- All dimensions are true and reflect manufacturer's specifications as of the revision date.

CIRCLE FIRE PIT KITS (Media Required)

Includes the key valve kit for match light ignition, 2 vents, and key valve extension. Upgraded ignition systems available, see below.

Item No - NG	Item No - LP	Description	Lava Rock Required	BTU's	Retail
FC42NG	FC42LP	42" Circle Fire Pit w/ CFB120	36 lbs	120,000	\$3,021
FC54NG	FC54LP	54" Circle Fire Pit w/ CFB180	57 lbs	180,000	\$3,513
FC60NG	FC60LP	60" Circle Fire Pit w/ CFB290	81 lbs	290,000	\$4,155
FC72NG*	FC72LP*	72" Circle Fire Pit w/ CFB350	144 lbs	350,000	\$5,002

UPGRADED IGNITION SYSTEMS

- All RTF Kits with Electronic Ignitions will ship FOB Colorado.
- All RTF Kits with 24V Premium Electronic Ignition Systems must be covered when not in use.
- For Covers, see page 135

Item No - NG	Item No - LP	Description	Max BTU's	Retail
P24VIK-SCCG-NG	P24VIK-SCCG-LP	Standard Capacity Electronic Ignition Kit	290,000	\$1,945
P24VIK-HCCG-NG	P24VIK-HCCG-LP	High Capacity Electronic Ignition Kit	512,000	\$2,095
PBIK-MP	PBIK-MP	Push Button Ignition Kit w/ Mounting Bracket		\$147
MG-MP	MG-MP	Mounting Bracket with Key Valve Cut Out		\$83



MG-MP Mounting Bracket w/ Cut Out

MEDIA & ACCESSORIES

(See page 136-137 for full line of media, log sets and accessories. If using glass or lava stones, double the recommended lava rock weight.)

Item No	Description	Color	Rock/Stone Size	Bag Size	Retail
BLR	Lava Rock	Black	1" - 1 1/2"	40 lb	\$45
LPRH	LP Regulator with a 3/8" 10' Hose (Will only allow flow for up to 180K BTU's. For use with a 20 lb LP tank)				\$175



BLR
1" - 1 1/2"



LP Regulator with Hose
LPRH

For Wind Guards, see page 138-139.

*Special Order - Orders shipping direct from Warming Trends in Colorado, actual freight charges will apply.

OCTAGON FIRE PIT KITS

WITH CROSSFIRE BURNER



42"



54"



60"

SPECIFICATIONS (See page 140 for line drawing details.)

Model	BTU's	Overall Dimensions	Pan Dimensions	Burner Dimensions	Weight
FO42	120,000	42"W x 42"D x 18 1/2"H*	24"W	13"L x 13"D	119 lbs
FO54	180,000	54"W x 54"D x 18 1/2"H*	30"W	17"L x 15"D	144 lbs
FO60	290,000	60"W x 60"D x 18 1/2"H*	36"W	21 1/2"L x 21 1/2"D	166 lbs

*Front Elevation: 19 3/4" to Top of Burner

- Propane tank cannot be placed inside.
- For outdoor/interior use only.
- Modification of product will void any certification and warranty.
- Follow all installation instructions and local codes.
- Recommended to be installed by a certified plumbing professional.
- All dimensions are true and reflect manufacturer's specifications as of the revision date.

OCTAGON FIRE PIT KITS (Media Required)

Includes the key valve kit for match light ignition, 2 vents, and key valve extension. Upgraded ignition systems available, see below.

Item No - NG	Item No - LP	Description	Lava Rock Required	BTU's	Retail
FO42NG	FO42LP	42" Octagon Fire Pit w/ CFB120	36 lbs	120,000	\$2,508
FO54NG	FO54LP	54" Octagon Fire Pit w/ CFB180	57 lbs	180,000	\$2,991
FO60NG	FO60LP	60" Octagon Fire Pit w/ CFB290	81 lbs	290,000	\$3,723

UPGRADED IGNITION SYSTEMS

- All RTF Kits with Electronic Ignitions will ship FOB Colorado.
- All RTF Kits with 24V Premium Electronic Ignition Systems must be covered when not in use.
- For Covers, see page 135

Item No - NG	Item No - LP	Description	Max BTU's	Retail
P24VIK-SCCG-NG	P24VIK-SCCG-LP	Standard Capacity Electronic Ignition Kit	290,000	\$1,945
P24VIK-HCCG-NG	P24VIK-HCCG-LP	High Capacity Electronic Ignition Kit	512,000	\$2,095
PBIK-MP	PBIK-MP	Push Button Ignition Kit w/ Mounting Bracket		\$147
MG-MP	MG-MP	Mounting Bracket with Key Valve Cut Out		\$83



MG-MP Mounting Bracket w/ Cut Out

MEDIA & ACCESSORIES

(See page 136-137 for full line of media, log sets and accessories. If using glass or lava stones, double the recommended lava rock weight.)

Item No	Description	Color	Rock/Stone Size	Bag Size	Retail
BLR	Lava Rock	Black	1" - 1 1/2"	40 lb	\$45
LPRH	LP Regulator with a 3/8" 10' Hose (Will only allow flow for up to 180K BTU's. For use with a 20 lb LP tank)				\$175



BLR
1" - 1 1/2"



LP Regulator with Hose
LPRH

For Wind Guards, see page 138-139.

RECTANGLE FIRE PIT KITS

WITH LINEAR BURNER



48" X 30"



60" X 36"



72" X 42"

SPECIFICATIONS (See page 141 for line drawing details.)

Model	BTU's	Overall Dimensions	Pan Dimensions	Burner Dimensions	Weight
FR4830	110,000	48"W x 30"D x 18 1/2"H*	28"W x 10"D	22"L	113 lbs
FR6036	150,000	60"W x 36"D x 18 1/2"H*	38"W x 14"D	30"L	144 lbs
FR7242	210,000	72"W x 42"D x 18 1/2"H*	48"W x 18"D	42"L	181 lbs

*Front Elevation: 19 3/4" to Top of Burner

- Propane tank cannot be placed inside.
- For outdoor/interior use only.
- Modification of product will void any certification and warranty.
- Follow all installation instructions and local codes.
- Recommended to be installed by a certified plumbing professional.
- All dimensions are true and reflect manufacturer's specifications as of the revision date.

RECTANGLE FIRE PIT KITS (Media Required)

Includes the key valve kit for match light ignition, 2 vents, and key valve extension. Upgraded ignition systems available, see below.

Item No - NG	Item No - LP	Description	Lava Rock Required	BTU's	Retail
FR4830NG	FR4830LP	48" x 30" Linear Rectangle w/ CFBL110	29 lbs	110,000	\$2,572
FR6036NG	FR6036LP	60" x 36" Linear Rectangle w/ CFBL150	50 lbs	150,000	\$3,302
FR7242NG	FR7242LP	72" x 42" Linear Rectangle w/ CFBL210	68 lbs	210,000	\$3,536

UPGRADED IGNITION SYSTEMS

- All RTF Kits with Electronic Ignitions will ship FOB Colorado.
- All RTF Kits with 24V Premium Electronic Ignition Systems must be covered when not in use.
- For Covers, see page 135

Item No - NG	Item No - LP	Description	Max BTU's	Retail
P24VIK-SCCG-NG	P24VIK-SCCG-LP	Standard Capacity Electronic Ignition Kit	290,000	\$1,945
P24VIK-HCCG-NG	P24VIK-HCCG-LP	High Capacity Electronic Ignition Kit	512,000	\$2,095
PBIK-MP	PBIK-MP	Push Button Ignition Kit w/ Mounting Bracket		\$147
MG-MP	MG-MP	Mounting Bracket with Key Valve Cut Out		\$83



MG-MP Mounting Bracket w/ Cut Out

MEDIA & ACCESSORIES

(See page 136-137 for full line of media, log sets and accessories. If using glass or lava stones, double the recommended lava rock weight.)

Item No	Description	Color	Rock/Stone Size	Bag Size	Retail
BLR	Lava Rock	Black	1" - 1 1/2"	40 lb	\$45
LPRH	LP Regulator with a 3/8" 10' Hose (Will only allow flow for up to 180K BTU's. For use with a 20 lb LP tank)				\$175



BLR
1" - 1 1/2"



LP Regulator with Hose
LPRH

For Wind Guards, see page 138-139.

RECTANGLE FIRE PIT KITS

WITH TREE-STYLE BURNER



48" X 30"



60" X 36"



72" X 42"

SPECIFICATIONS (See page 141 for line drawing details.)

Model	BTU's	Overall Dimensions	Pan Dimensions	Burner Dimensions	Weight
FRT4830	170,000	48"W x 30"D x 18 1/2"H*	28"W x 10"D	22"L x 5 1/4"W	116 lbs
FRT6036	230,000	60"W x 36"D x 18 1/2"H*	38"W x 14"D	30"L x 7 1/4"W	148 lbs
FRT7242	290,000	72"W x 42"D x 18 1/2"H*	48"W x 18"D	38"L x 7 1/4"W	187 lbs

*Front Elevation: 19 3/4" to Top of Burner

- Propane tank cannot be placed inside.
- For outdoor/exterior use only.
- Modification of product will void any certification and warranty.
- Follow all installation instructions and local codes.
- Recommended to be installed by a certified plumbing professional.
- All dimensions are true and reflect manufacturer's specifications as of the revision date.

RECTANGLE FIRE PIT KITS (Media Required)

Includes the key valve kit for match light ignition, 2 vents, and key valve extension. Upgraded ignition systems available, see below.

Item No - NG	Item No - LP	Description	Lava Rock Required	BTU's	Retail
FRT4830NG	FRT4830LP	48" x 30" Tree Style Rectangle w/ CFBT170	29 lbs	170,000	\$3,054
FRT6036NG	FRT6036LP	60" x 36" Tree Style Rectangle w/ CFBT230	50 lbs	230,000	\$3,773
FRT7242NG	FRT7242LP	72" x 42" Tree Style Rectangle w/ CFBT290	68 lbs	290,000	\$4,243

UPGRADED IGNITION SYSTEMS

- All RTF Kits with Electronic Ignitions will ship FOB Colorado.
- All RTF Kits with 24V Premium Electronic Ignition Systems must be covered when not in use.
- For Covers, see page 135

Item No - NG	Item No - LP	Description	Max BTU's	Retail
P24VIK-SCCG-NG	P24VIK-SCCG-LP	Standard Capacity Electronic Ignition Kit	290,000	\$1,945
P24VIK-HCCG-NG	P24VIK-HCCG-LP	High Capacity Electronic Ignition Kit	512,000	\$2,095
PBIK-MP	PBIK-MP	Push Button Ignition Kit w/ Mounting Bracket		\$147
MG-MP	MG-MP	Mounting Bracket with Key Valve Cut Out		\$83



MG-MP Mounting Bracket w/ Cut Out

MEDIA & ACCESSORIES

(See page 136-137 for full line of media, log sets and accessories. If using glass or lava stones, double the recommended lava rock weight.)

Item No	Description	Color	Rock/Stone Size	Bag Size	Retail
BLR	Lava Rock	Black	1" - 1 1/2"	40 lb	\$45
LPRH	LP Regulator with a 3/8" 10' Hose (Will only allow flow for up to 180K BTU's. For use with a 20 lb LP tank)				\$175




BLR 1" - 1 1/2" LP Regulator with Hose LPRH

For Wind Guards, see page 138-139.

*Special Order - Orders shipping direct from Warming Trends in Colorado, actual freight charges will apply.

SQUARE FIRE PIT KITS



36"



48"



54"



60"

SPECIFICATIONS (See page 141 for line drawing details.)

Model	BTU's	Overall Dimensions	Pan Dimensions	Burner Dimensions	Weight
FS3636	120,000	36"W x 36"D x 18 1/2"H*	24"W x 24"D	13"L x 13"D	108 lbs
FS4848	180,000	48"W x 48"D x 18 1/2"H*	30"W x 30"D	17"L x 15"D	150 lbs
FS5454	290,000	54"W x 54"D x 18 1/2"H*	36"W x 36"D	21 1/2"L x 21 1/2"D	174 lbs
FS6060	300,000	60"W x 60"D x 18 1/2"H*	42"W x 42"D	30 1/2"L x 30 1/2"D	208 lbs

*Front Elevation: 19 3/4" to Top of Burner

- Propane tank cannot be placed inside.
- For outdoor/exterior use only.
- Modification of product will void any certification and warranty.
- Follow all installation instructions and local codes.
- Recommended to be installed by a certified plumbing professional.
- All dimensions are true and reflect manufacturer's specifications as of the revision date.

SQUARE FIRE PIT KITS (Media Required)

Includes the key valve kit for match light ignition, 2 vents, and key valve extension. Upgraded ignition systems available, see below.

Item No - NG	Item No - LP	Description	Lava Rock Required	BTU's	Retail
FS3636NG	FS3636LP	36" Square Fire Pit w/ CFB120	45 lbs	120,000	\$2,309
FS4848NG	FS4848LP	48" Square Fire Pit w/ CFB180	71 lbs	180,000	\$2,891
FS5454NG	FS5454LP	54" Square Fire Pit w/ CFB290	101 lbs	290,000	\$3,415
FS6060NG*	FS6060LP*	60" Square Fire Pit w/ CFB300	138 lbs	300,000	\$4,261

UPGRADED IGNITION SYSTEMS

- All RTF Kits with Electronic Ignitions will ship FOB Colorado.
- All RTF Kits with 24V Premium Electronic Ignition Systems must be covered when not in use.
- For Covers, see page 135

Item No - NG	Item No - LP	Description	Max BTU's	Retail
P24VIK-SCCG-NG	P24VIK-SCCG-LP	Standard Capacity Electronic Ignition Kit	290,000	\$1,945
P24VIK-HCCG-NG	P24VIK-HCCG-LP	High Capacity Electronic Ignition Kit	512,000	\$2,095
PBIK-MP	PBIK-MP	Push Button Ignition Kit w/ Mounting Bracket		\$147
MG-MP	MG-MP	Mounting Bracket with Key Valve Cut Out		\$83



MG-MP Mounting Bracket w/ Cut Out

MEDIA & ACCESSORIES

(See page 136-137 for full line of media, log sets and accessories. If using glass or lava stones, double the recommended lava rock weight.)

Item No	Description	Color	Rock/Stone Size	Bag Size	Retail
BLR	Lava Rock	Black	1" - 1 1/2"	40 lb	\$45
LPRH	LP Regulator with a 3/8" 10' Hose (Will only allow flow for up to 180K BTU's. For use with a 20 lb LP tank)				\$175



BLR
1" - 1 1/2"

LP Regulator with Hose
LPRH

For Wind Guards, see page 138-139.

*Special Order - Orders shipping direct from Warming Trends in Colorado, actual freight charges will apply.

FIRE PIT COVERS



We recommend adding a cover to any fire feature to prevent water build up inside the burner. Water build up may cause issues with your fire pit performance. A cover is required with any Warming Trends system utilizing a 24V electronic ignition system. All covers are 1/8" thick Aluminum and Powder Coated Charcoal Gray with a UV protected powdercoat.

Note: When using an electronic ignition system, or a push button ignition system, you must add a 2" skirt to the cover. Please call Empire Distributing for pricing.

CIRCULAR COVERS

Item No	Description	For use with	Handles	Retail
SC26C-CG	26" Powder Coated Cover, Circular	FC42, FO42	2	\$272
SC32C-CG	32" Powder Coated Cover, Circular	FC54, FO54	2	\$358
SC38C-CG	38" Powder Coated Cover, Circular	FC60, FO60	2	\$515
SC50C-CG	50" Powder Coated Cover, Circular (2 piece)	FC72	2	\$922



Circular Cover w/ 2" Skirt



Circular Cover
1 piece



50" Circular Cover
2 piece

SQUARE COVERS

Item No	Description	For use with	Handles	Retail
SC26S-CG	26" Powder Coated Cover, Square	FS3636	2	\$272
SC32S-CG	32" Powder Coated Cover, Square	FS4848	2	\$358
SC38S-CG	38" Powder Coated Cover, Square	FS5454	2	\$515
SC44S-CG	44" Powder Coated Cover, Square	FS6060	2	\$689



Square Cover
1 piece

RECTANGLE COVERS

Item No	Description	For use with	Handles	Retail
SC3012R-CG	30" x 12" Powder Coated Cover, Rectangle	FR4830, FRT4830	2	\$283
SC4016R-CG	40" x 16" Powder Coated Cover, Rectangle	FR6036, FRT6036	2	\$330
SC5020R-CG	50" x 20" Powder Coated Cover, Rectangle (2 piece)	FR7242, FRT7242	2	\$493



Rectangle Custom Cover
2 handle

LOG SETS



REFRACTORY LOG SETS

Outdoor fire pit log sets are for use with outdoor burner systems.

Item No	Description	Pieces	Fire Pit Inside Dimensions	Retail
WCS2006FL	20" Wilderness Char	6	18" - 24"	\$243
WCS3010FL	30" Wilderness Char	10	24" - 40"	\$714
WCS5019FL	50" Wilderness Char	19	40" - 60"	\$1,377
WOS3008FL	30" Wilderness Oak	8	24" - 40"	\$460
WOS5014FL	50" Wilderness Oak	14	40" - 60"	\$898
WMS2017FLG	20" Wilderness Campfire w/ Grate	17	18" - 24"	\$830
WMS3026FLG	30" Wilderness Campfire w/ Grate	26	24" - 40"	\$1,237



Wilderness Char Fire Pit Log Set



Wilderness Oak Fire Pit Log Set



Wilderness Campfire Fire Pit Log Set


FIREGLASS, ROCKS & STONES



When using glass, double the recommended lava rock weight.

REFLECTIVE FIREGLASS ½" Crushed

Item No	Description	Tub Size	Retail
EG25-R03MP	Black Reflective	25 lb	\$149
EG25-R05MP	Bronze Reflective	25 lb	\$149
EG25-R02MP	Cobalt Blue Reflective	25 lb	\$149
EG25-R01MP	Copper Reflective	25 lb	\$149
EG25-R04MP	Sky Blue Reflective	25 lb	\$149
EG25-R09MP	Silver Reflective	25 lb	\$149



CLASSIC FIREGLASS ½" Crushed

Item No	Description	Tub Size	Retail
EG25-L12MP	Amber Classic	25 lb	\$149
EG25-L02MP	Black Classic	25 lb	\$149
EG25-L13MP	Cobalt Blue Classic	25 lb	\$149
EG25-L01MP	Ice Clear Classic	25 lb	\$149
EG25-L05MP	Ocean Blue Classic	25 lb	\$149
EG25-L04MP	Turquoise Classic	25 lb	\$149



When using lava stone, double the recommended lava rock weight.

LAVA ROCK & STONE

Item No	Description	Rock/Stone Size	Bag Size	Retail
BLR	Lava Rock, Black	1" - 1 ½"	40 lb	\$45
NL-3050	Tumbled Lava Stone, Medium	1" - 2"	50 lb	\$189
NL-5080	Tumbled Lava Stone, Large	2" - 3"	50 lb	\$189



WIND GUARDS



Fire Pit Flame Guards provide an additional safety barrier, help maintain a central flame during the evening breeze, all while providing an enhanced fire elegance by reflecting the flames on the glass surfaces. Made from tempered glass, all our Fire Pit Flame Guards are heat resistant with polished edges, and designed for use with any fire pit.



LINEAR

(Glass Clips Included)

Item No	Description	Inside Assembled Dimension (LxWxH)	For use with	Retail
FG-LCB-30*	Linear Glass Wind Guard	35.5" x 11.5" x 6"	FRT4830 FR4830	\$200

RECTANGLE

(Glass Clips Included)

Item No	Description	Inside Assembled Dimension (LxWxH)	For use with	Retail
FG-AFPP-24*	Rectangular Glass Wind Guard	29.5" x 13.5" x 6"	FRT4830 FR4830	\$210
FG-AFPP-36*	Rectangular Glass Wind Guard	41.5" x 17.5" x 6"	FRT6036 FR6036	\$250
FG-AFPP-48*	Rectangular Glass Wind Guard	53.5" x 19.5" x 6"	FRT7242 FR7242	\$270

SQUARE

(Glass Clips Included)

Item No	Description	Inside Assembled Dimension (LxWxH)	For use with	Retail
FG-SQP-24*	Square Glass Wind Guard	29.5" x 29.5" x 6"	FS3636	\$210
FG-SQP-30*	Square Glass Wind Guard	35.5" x 35.5" x 6"	FS4848	\$220
FG-SQP-36*	Square Glass Wind Guard	41.5" x 41.5" x 6"	FS5454	\$240

ROUND

(Glass Clips Included)

Item No	Description	Inside Assembled Dimension (WxH)	For use with	Retail
FG-RSP-25*	Round Glass Wind Guard	29" x 8"	FO42 FC42	\$440

WIND GUARD CLIPS

(For use with 1/8" glass. Glass not included)

Item No	Description	Retail
GC-90KIT	Wind Guard Clips (Includes: 8 clips to complete square or rectangle wind guard 36" or smaller per side. Glass not included)	\$36
GCS-90KIT	Wind Guard Clips (Includes: 12 clips to complete square or rectangle wind guard 37" or longer per side. Glass not included)	\$43



GC-90 Kit (8 pc)



GCS-90 Kit (12 pc)

*While Supplies Last

Custom sized Wind Guards available. Call Empire for details.