



FIRESTORM STEEL LOG KIT

Includes: 32" Hand-crafted Steel Gas Log, CFBL150 Burner, and 38" x 10" Aluminum Plate

Item No	Description	Retail
FSL32LP	FireStorm Steel Log Kit, LP	\$1,358
FSL32NG	FireStorm Steel Log Kit, NG	\$1,358

(FireStorm log is not compatible with push button or electronic ignition.)



Scan Code to see
Firestorm Steel Logs Burning Video

ACCESSORIES

For a list of media, see page 121 of the Fire Pit Burner section. For all other accessories, see pages 118-119.


Item No	Description	Retail
FK1	Match Light Key Valve Kit (Includes: 36" L x 3/4" Diameter Whistle Free Flex Line; 3/4" Connector; 3/4" Key Valve; 12" & 3" Key)	\$180
FP.EXT	12" Adjustable Key Valve Extension with 1/2" Banded Coupling	\$16
FPVK	Fire Pit Vent Kit - Set of 2 (4" x 12", includes hardware)	\$55
BLR	Lava Rock 1" - 1 1/2", Black (40 lb bag)	\$45

FEATURES

- Handcrafted, one-of-a-kind steel gas log
- Integrated burner compounds the effects of the Crossfire Brass Burner, creating a beautiful flame pattern
- Simple and easy installation
- Kit includes 150K BTU Crossfire Brass Burner (for NG or LP), Firestorm Steel Log, and aluminum plate




FireStorm Log



Warming Trends® Universal Paver Kits are a complete* Match Light Fire Feature package that is designed to fit into paver block manufactured fire pit kits. This eliminates the need to special order a custom sized burner plate. Universal Paver Kits provide an easy and simple installation.

Confirm the interior dimensions of your fire pit to select the matching Warming Trends® Universal Paver Kit.

*Media and Vent Kit not included



UNIVERSAL PAVER KITS - FOR CIRCULAR OPENINGS

Includes: CROSSFIRE® Brass Burner, Aluminum Plate, Flex Line Kit, Key, Key Valve, Key Valve Extension, and Universal Flexible Installation Collars

Item No - NG	Item No - LP	Opening Dimensions	Burner	Plate	Key Valve Kit	Collars	Lava Rock Required	Retail
UPK120C-23NG	UPK120C-23LP	23" - 26"	CFB120	23"	FK1	4	39 lbs	\$922
UPK180C-29NG	UPK180C-29LP	29" - 32"	CFB180	29"	FK1	5	60 lbs	\$1,344
UPK240C-35NG	UPK240C-35LP	35" - 38"	CFB240	35"	FK1	6	86 lbs	\$1,617
UPK240C-39NG*	UPK240C-39LP*	39" - 42"	CFB240	39"	FK1	7	105 lbs	\$1,745

ACCESSORIES

Item No	Description	Retail
PBIK-PBMBR	Push Button Ignition Kit w/ Paver Block Mounting Bracket	\$147
BLR	Lava Rock 1" - 1 ½", Black (40 lb bag)	\$45
FPVK	Fire Pit Vent Kit - Set of 2 (4" x 12", includes hardware)	\$55

*Special Order - Orders shipping direct from Warming Trends in Colorado, actual freight charges will apply.


(See page 120-121 of Fire Pit Burner Section for full line of media.)

SQUARE UNIVERSAL PAVER KITS

Warming Trends® Universal Paver Kits are a complete* Match Light Fire Feature package that is designed to fit into paver block manufactured fire pit kits. This eliminates the need to special order a custom sized burner plate. Universal Paver Kits provide an easy and simple installation.

Confirm the interior dimensions of your fire pit to select the matching Warming Trends® Universal Paver Kit.

*Media and Vent Kit not included



UNIVERSAL PAVER KITS - FOR SQUARE OPENINGS

Includes: CROSSFIRE® Brass Burner, Aluminum Plate, Flex Line Kit, Key, Key Valve, Key Valve Extension, and Universal Flexible Installation Collars

Item No - NG	Item No - LP	Opening Dimensions	Burner	Plate	Key Valve Kit	Collars	Lava Rock Required	Retail
UPK120S-23NG	UPK120S-23LP	23"-26"	CFB120	23"	FK1	4	46 lbs	\$922
UPK120S-26NG	UPK120S-26LP	26"-29"	CFB120	26"	FK1	4	62 lbs	\$961
UPK180S-29NG	UPK180S-29LP	29"-32"	CFB180	29"	FK1	5	75 lbs	\$1,344
UPK240S-35NG	UPK240S-35LP	35"- 38"	CFB240	35"	FK1	6	107 lbs	\$1,617
UPK240S-39NG*	UPK240S-39LP*	39"- 42"	CFB240	39"	FK1	7	131 lbs	\$1,745

ACCESSORIES

Item No	Description	Retail
PBIK-PBMBR	Push Button Ignition Kit w/ Paver Block Mounting Bracket	\$147
BLR	Lava Rock 1" - 1 ½", Black (40 lb bag)	\$45
FPVK	Fire Pit Vent Kit - Set of 2 (4" x 12", includes hardware)	\$55

*Special Order - Orders shipping direct from Warming Trends in Colorado, actual freight charges will apply.

(See page 120-121 of Fire Pit Burner Section for full line of media.)

CIRCULAR PLATES

Select a Warming Trends Plate or Pan, Crossfire™ Burner (see pages 110-111) and Ignition Kit (see pages 118-119) to make a complete burner system. Add your Media/Logs (see pages 120-121).

Warming Trends heavy duty aluminum mounting plates provide a solid surface to support your burner and your media choice. This plate is fitted with the proper gas supply connection point to attach the burner to the plate.



Circular Plate



NOTE: It is recommended to incorporate 1 vent on at least two opposing sides (2 vents total) at a minimum size of 18 sq. inches each (Example: 3"x 6" or larger). Installation of the vents in the mid to lower area of the enclosure is recommended. Always consult with local municipality regarding any local code requirements. See page 119 for Vent Kit, item number FPVK.

CIRCULAR PLATES

Item No	Description	Lava Rock (Max Weight)	Inlet	Retail
ALPL18C	18" Aluminum Plate, Circular	20 lbs.	1/2"	\$110
ALPL24C	24" Aluminum Plate, Circular	40 lbs.	1/2"	\$211
ALPL29.25C	29.25" Aluminum Plate, Circular	60 lbs.	1/2"	\$345
ALPL30C	30" Aluminum Plate, Circular	60 lbs.	1/2"	\$283
ALPL35.5C	35.50" Aluminum Plate, Circular	80 lbs.	1/2"	\$520
ALPL36C	36" Aluminum Plate, Circular	80 lbs.	1/2"	\$426
ALPL42C	42" Aluminum Plate, Circular	110 lbs.	3/4"	\$569
ALPL48C	48" Aluminum Plate, Circular	145 lbs.	3/4"	\$731
ALPL60C*	60" Aluminum Plate, Circular	225 lbs.	3/4"	\$1,120

CUSTOM CIRCULAR PLATES - CUT TO FIT


(Note: Cut to Fit plates are not returnable. Recommended 1/2" narrower than actual opening.)

Item No	Description	Lava Rock (Max Weight)	Inlet	Retail
ALPL1218C	12.00" - 17.99" Aluminum Plate, Circular	20 lbs.	1/2"	\$165
ALPL1824C	18.01" - 23.99" Aluminum Plate, Circular	40 lbs.	1/2"	\$270
ALPL2430C	24.01" - 29.99" Aluminum Plate, Circular	60 lbs.	1/2"	\$345
ALPL3036C	30.01" - 35.99" Aluminum Plate, Circular	80 lbs.	1/2"	\$520
ALPL3642C	36.01" - 41.99" Aluminum Plate, Circular	110 lbs.	3/4"	\$624
ALPL4248C	42.01" - 47.99" Aluminum Plate, Circular	145 lbs.	3/4"	\$785
ALPL4860C*	48.01" - 59.99" Aluminum Plate, Circular	225 lbs.	3/4"	\$1,206
ALPLCUST*	Custom Aluminum Plate (We can manufacture any custom shape or size.)			TBD

INSTALLATION COLLAR

Installation collars provide support for the aluminum plate, allowing for any size plate to be used for a range of sizes.

Item No	Description	Retail
COLLAR	19" Universal Flexible Aluminum Installation Collar (order multiples depending on the size of the fire pit) (3" Range)	\$29
IC44SS-FF	44" x 6.2" Flexible Install Collar (2 per carton) (5" Range)	\$329.75



*Special Order - Orders shipping direct from Warming Trends in Colorado, actual freight charges will apply.

CIRCULAR PANS

Select a Warming Trends Plate or Pan, Crossfire™ Burner (see pages 110-111) and Ignition Kit (see pages 118-119) to make a complete burner system. Add your Media/Logs (see pages 120-121).

Using the Warming Trends heavy duty aluminum mounting pan with 2" sidewalls will provide a solid surface to support your burner and your media choice. This pan is fitted with the proper gas supply connection point to attach the burner to the pan.



Circular Pan
with 2" Sidewall



VIDEO LINK
PLATE VS PAN

NOTE: It is recommended to incorporate 1 vent on at least two opposing sides (2 vents total) at a minimum size of 18 sq. inches each (Example: 3"x 6" or larger). Installation of the vents in the mid to lower area of the enclosure is recommended. Always consult with local municipality regarding any local code requirements. See page 119 for Vent Kit, item number FPKV.

CIRCULAR PANS (with 2" Welded Sidewalls)

Item No	Description	Lava Rock (Max Weight)	Inlet	Retail
ALPAN18C	18" Aluminum Pan, Circular	20 lbs.	1/2"	\$245
ALPAN24C	24" Aluminum Pan, Circular	40 lbs.	1/2"	\$309
ALPAN30C	30" Aluminum Pan, Circular	60 lbs.	1/2"	\$390
ALPAN36C	36" Aluminum Pan, Circular	80 lbs.	1/2"	\$546
ALPAN42C	42" Aluminum Pan, Circular	110 lbs.	3/4"	\$684
ALPAN48C	48" Aluminum Pan, Circular	145 lbs.	3/4"	\$842
ALPAN60C*	60" Aluminum Pan, Circular	225 lbs.	3/4"	\$1,235

CUSTOM CIRCULAR PANS - CUT TO FIT

(with 2" Welded Sidewalls) (Note: Cut to Fit pans are not returnable. Recommended 1/2" narrower than actual opening.)

Item No	Description	Lava Rock (Max Weight)	Inlet	Retail
ALPAN1218C	12.00" - 17.99" Aluminum Pan, Circular	20 lbs.	1/2"	\$287
ALPAN1824C	18.01" - 23.99" Aluminum Pan, Circular	40 lbs.	1/2"	\$352
ALPAN2430C	24.01" - 29.99" Aluminum Pan, Circular	60 lbs.	1/2"	\$435
ALPAN3036C	30.01" - 35.99" Aluminum Pan, Circular	80 lbs.	1/2"	\$615
ALPAN3642C	36.01" - 41.99" Aluminum Pan, Circular	110 lbs.	3/4"	\$734
ALPAN4248C	42.01" - 47.99" Aluminum Pan, Circular	145 lbs.	3/4"	\$892
ALPAN4860C*	48.01" - 59.99" Aluminum Pan, Circular	225 lbs.	3/4"	\$1,310
ALPANCUST*	Custom Aluminum Pan (We can manufacture any custom shape or size.)			TBD

Note: Deeper sidewalls and top lips available for Special Order.

INSTALLATION COLLAR

Installation collars provide support for the aluminum pan, allowing for any size pan to be used for a range of sizes.

Item No	Description	Retail
COLLAR	19" Universal Flexible Aluminum Installation Collar (order multiples depending on the size of the fire pit) (3" Range)	\$29
IC44SS-FF	44" x 6.2" Flexible Install Collar (2 per carton) (5" Range)	\$329.75



COLLAR



IC44SS-FF

*Special Order - Orders shipping direct from Warming Trends in Colorado, actual freight charges will apply.

SQUARE PLATES

Select a Warming Trends Plate or Pan, Crossfire™ Burner (see pages 110-111) and Ignition Kit (see pages 118-119) to make a complete burner system. Add your Media/Logs (see pages 120-121).

Warming Trends heavy duty aluminum mounting plates provide a solid surface to support your burner and your media choice. This plate is fitted with the proper gas supply connection point to attach the burner to the plate.



Square Plate



NOTE: It is recommended to incorporate 1 vent on at least two opposing sides (2 vents total) at a minimum size of 18 sq. inches each (Example: 3"x 6" or larger). Installation of the vents in the mid to lower area of the enclosure is recommended. Always consult with local municipality regarding any local code requirements. See page 119 for Vent Kit, item number FPVK.

SQUARE PLATES

Item No	Description	Lava Rock (Max Weight)	Inlet	Retail
ALPL18S	18" Aluminum Plate, Square	25 lbs.	1/2"	\$110
ALPL24S	24" Aluminum Plate, Square	45 lbs.	1/2"	\$211
ALPL30S	30" Aluminum Plate, Square	70 lbs.	1/2"	\$283
ALPL36S	36" Aluminum Plate, Square	100 lbs.	1/2"	\$426
ALPL42S	42" Aluminum Plate, Square	140 lbs.	3/4"	\$569
ALPL48S	48" Aluminum Plate, Square	180 lbs.	3/4"	\$731
ALPL60S*	60" Aluminum Plate, Square	280 lbs.	3/4"	\$1,120

CUSTOM SQUARE PLATES - CUT TO FIT

(Note: Cut to Fit plates are not returnable. Recommended 1/2" narrower than actual opening.)

Item No	Description	Lava Rock (Max Weight)	Inlet	Retail
ALPL1218S	12.00" - 17.99" Aluminum Plate, Square	25 lbs.	1/2"	\$165
ALPL1824S	18.01" - 23.99" Aluminum Plate, Square	45 lbs.	1/2"	\$270
ALPL2430S	24.01" - 29.99" Aluminum Plate, Square	70 lbs.	1/2"	\$345
ALPL3036S	30.01" - 35.99" Aluminum Plate, Square	100 lbs.	1/2"	\$520
ALPL3642S	36.01" - 41.99" Aluminum Plate, Square	140 lbs.	3/4"	\$624
ALPL4248S	42.01" - 47.99" Aluminum Plate, Square	180 lbs.	3/4"	\$785
ALPL4860S*	48.01" - 59.99" Aluminum Plate, Square	280 lbs.	3/4"	\$1,206
ALPLCUST*	Custom Aluminum Plate (We can manufacture any custom shape or size.)			TBD

INSTALLATION COLLAR

Installation collars provide support for the aluminum plate, allowing for any size plate to be used for a range of sizes.

Item No	Description	Retail
COLLAR	19" Universal Flexible Aluminum Installation Collar (order multiples depending on the size of the fire pit) (3" Range)	\$29
IC44SS-FF	44" x 6.2" Flexible Install Collar (2 per carton) (5" Range)	\$329.75



COLLAR




IC44SS-FF

*Special Order - Orders shipping direct from Warming Trends in Colorado, actual freight charges will apply.

SQUARE PANS

Select a Warming Trends Plate or Pan, Crossfire™ Burner (see page 110-111) and Ignition Kit (see pages 118-119) to make a complete burner system. Add your Media/Logs (see pages 120-121).

Using the Warming Trends heavy duty aluminum mounting pan with 2" sidewalls will provide a solid surface to support your burner and your media choice. This pan is fitted with the proper gas supply connection point to attach the burner to the pan.



Square Pan
with 2" Sidewall



VIDEO LINK
PLATE VS PAN

NOTE: It is recommended to incorporate 1 vent on at least two opposing sides (2 vents total) at a minimum size of 18 sq. inches each (Example: 3"x 6" or larger). Installation of the vents in the mid to lower area of the enclosure is recommended. Always consult with local municipality regarding any local code requirements. See page 119 for Vent Kit, item number FPKV.

SQUARE PANS (with 2" Welded Sidewalls)

Item No	Description	Lava Rock (Max Weight)	Inlet	Retail
ALPAN18S	18" Aluminum Pan, Square	25 lbs.	1/2"	\$245
ALPAN24S	24" Aluminum Pan, Square	45 lbs.	1/2"	\$309
ALPAN30S	30" Aluminum Pan, Square	70 lbs.	1/2"	\$390
ALPAN36S	36" Aluminum Pan, Square	100 lbs.	1/2"	\$546
ALPAN42S	42" Aluminum Pan, Square	140 lbs.	3/4"	\$684
ALPAN48S	48" Aluminum Pan, Square	180 lbs.	3/4"	\$842
ALPAN60S*	60" Aluminum Pan, Square	280 lbs.	3/4"	\$1,235

CUSTOM SQUARE PANS - CUT TO FIT (with 2" Welded Sidewalls) (Note: Cut to Fit pans are not returnable. Recommended 1/2" narrower than actual opening.)

Item No	Description	Lava Rock (Max Weight)	Inlet	Retail
ALPAN1218S	12.00" - 17.99" Aluminum Pan, Square	25 lbs.	1/2"	\$287
ALPAN1824S	18.01" - 23.99" Aluminum Pan, Square	45 lbs.	1/2"	\$352
ALPAN2430S	24.01" - 29.99" Aluminum Pan, Square	70 lbs.	1/2"	\$435
ALPAN3036S	30.01" - 35.99" Aluminum Pan, Square	100 lbs.	1/2"	\$615
ALPAN3642S	36.01" - 41.99" Aluminum Pan, Square	140 lbs.	3/4"	\$734
ALPAN4248S	42.01" - 47.99" Aluminum Pan, Square	180 lbs.	3/4"	\$892
ALPAN4860S*	48.01" - 59.99" Aluminum Pan, Square	280 lbs.	3/4"	\$1,310
ALPANCUST*	Custom Aluminum Pan (We can manufacture any custom shape or size.)			TBD

Note: Deeper sidewalls and top lips available for Special Order.

INSTALLATION COLLAR

Installation collars provide support for the aluminum pan, allowing for any size plate to be used for a range of sizes.

Item No	Description	Retail
COLLAR	19" Universal Flexible Aluminum Installation Collar (order multiples depending on the size of the fire pit) (3" Range)	\$29
IC44SS-FF	44" x 6.2" Flexible Install Collar (2 per carton) (5" Range)	\$329.75




COLLAR



IC44SS-FF

*Special Order - Orders shipping direct from Warming Trends in Colorado, actual freight charges will apply.

Select a Warming Trends Plate or Pan (see pages 106-107), Crossfire™ Burner and Ignition Kit (see pages 118-119) to make a complete burner system. Add your Media/Logs (see pages 120-121).





CROSSFIRE BURNERS

It is recommended that the burner be 4" from edge of Fire Pit or 8" overall, Fire Bowl or any Fire Feature.

Item No - NG	Item No - LP	Description	Top Elevation Dimensions	Corner Dimensions	Inlet	Retail
CFB60NG	CFB60LP	60,000 BTU Burner	7 ½" L x 7 ½" D	10 ⅝"	1/2"	\$273
CFB84NG	CFB84LP	84,000 BTU Burner	7 ½" L x 7 ½" D	10 ⅝"	1/2"	\$310
CFB120NG	CFB120LP	120,000 BTU Burner	13" L x 13" D	18"	1/2"	\$471
CFB180NG	CFB180LP	180,000 BTU Burner	17" L x 15" D	18 ½"	1/2"	\$701
CFB240NG	CFB240LP	240,000 BTU Burner	21 ½" L x 19 ½" D	23 ⅜"	1/2"	\$819
CFB290NG	CFB290LP	290,000 BTU Burner	21 ½" L x 21 ½" D	25 ¼"	1/2"	\$983
CFB300NG	CFB300LP	300,000 BTU Burner	30 ½" L x 30 ½" D	32 ⅝"	3/4"	\$1,144
CFB350NG	CFB350LP	350,000 BTU Burner	30 ½" L x 30 ½" D	32 ⅝"	3/4"	\$1,316
CFB450NG*	CFB450LP*	450,000 BTU Burner	46" L x 46" D	47 ⅜"	3/4"	\$2,055
CFBCUSTNG*	CFBCUSTLP*	Custom BTU Burner - Custom Size and Shape				Call Empire
3412REDUCER	Reducer ¾" to ½" (For use connecting burners with 1/2" inlet to plates and pans with 3/4" inlet)					\$11

*Special Order - Orders shipping direct from Warming Trends in Colorado, actual freight charges will apply.
Call Empire Distributing for quote on Custom Mounting Plate/Pan and Cover




1. For outdoor/external use only.
2. Modification of product will void any certification and warranty.
3. Follow all installation instructions and local codes.
4. Recommended to be installed by a certified plumbing professional.
5. All dimensions are true and reflect Warming Trends' specifications as of the revision date.

Recommended Burner Distance from Edge of Fire Pit

The Warming Trends® Patent-Pending CROSSFIRE® Brass Burner utilizes cutting-edge technology to produce a taller, brighter, full flame, replicating a natural, wood burning fire – all while consuming less gas. Made from corrosion resistant and sustainable brass, CROSSFIRE® Brass Burners will not rust and come with a lifetime warranty. All burners are manufactured and assembled in the United States.

Select a Warming Trends Plate or Pan (see pages 106-107), Crossfire™ Octagonal Style Burner and Ignition Kit (see pages 118-119) to make a complete burner system. Add your Media/Logs (see pages 120-121).



OCTAGONAL CROSSFIRE BURNERS

It is recommended that the burner be 4" from edge of Fire Pit or 8" overall, Fire Bowl or any Fire Feature.

Item No - NG	Item No - LP	Description	Dimensions	Inlet	Retail
CFBO140NG	CFBO140LP	140,000 BTU Octagonal Burner	12 ½" x 14 ½"	1/2"	\$738
CFBO180NG	CFBO180LP	180,000 BTU Octagonal Burner	14 ¾" x 15 ¾"	1/2"	\$994
CFBO280NG	CFBO280LP	280,000 BTU Octagonal Burner	22 ¾" x 21 ¾"	3/4"	\$1,175
CFBO320NG	CFBO320LP	320,000 BTU Octaganal Burner	24 ½" x 24 ½"	3/4"	\$1,458
CFBO360NG	CFBO360LP	360,000 BTU Octagonal Burner	29 ½" x 27 ½"	3/4"	\$1,740
CFBOCUSTNG*	CFBOCUSTLP*	Custom BTU Burner - Custom Size & Shape			Call Empire
3412REDUCER	Reducer ¾" to ½" (For use connecting burners with 1/2" inlet to plates and pans with 3/4" inlet)				\$11

*Special Order - Orders shipping direct from Warming Trends in Colorado, actual freight charges will apply.
Call Empire Distributing for quote on Custom Mounting Plate/Pan and Cover

1.

For outdoor/exterior use only.
2.

Modification of product will void any certification and warranty.
3.

Follow all installation instructions and local codes.
4.

Recommended to be installed by a certified plumbing professional.
5.

All dimensions are true and reflect Warming Trends' specifications as of the revision date.



ORIGINAL VS. OCTAGONAL
BURNER VIDEO

The Warming Trends® Patent-Pending CROSSFIRE® Brass Burner utilizes cutting-edge technology to produce a taller, brighter, full flame, replicating a natural, wood burning fire – all while consuming less gas. Made from corrosion resistant and sustainable brass, CROSSFIRE® Brass Burners will not rust and come with a lifetime warranty. All burners are manufactured and assembled in the United States.

RECTANGLE PLATES

Select a Warming Trends Rectangle Plate or Pan, Crossfire™ Tree-Style, Double Tree, H-Style, or Linear Burner (see pages 114-117) and Ignition Kit (see pages 118-119) to make a complete burner system. Add your Media/Logs (see pages 120-121).

Warming Trends heavy duty aluminum mounting plates provide a solid surface to support your burner and your media choice. This plate is fitted with the proper gas supply connection point to attach the burner to the plate.

NOTE: It is recommended to incorporate 1 vent on at least two opposing sides (2 vents total) at a minimum size of 18 sq. inches each (Example: 3"x 6" or larger). Installation of the vents in the mid to lower area of the enclosure is recommended. Always consult with local municipality regarding any local code requirements. See page 41 for Vent Kit, item number FPVK.



Rectangle Plate



RECTANGLE PLATES - CUT TO FIT (Note: Cut to Fit plates are not returnable.)

Item No	Description	Cut Range Length	Cut Range Width	Inlet	Retail
ALPL3618	Aluminum Rectangle Plate	24" - 36"	6" - 18"	1/2"	\$311
ALPL3624	Aluminum Rectangle Plate	24" - 36"	18" - 24"	1/2"	\$402
ALPL4818	Aluminum Rectangle Plate	36" - 48"	6" - 18"	1/2"	\$402
ALPL4824	Aluminum Rectangle Plate	36" - 48"	18" - 24"	1/2"	\$479
ALPL4832	Aluminum Rectangle Plate	36" - 48"	24" - 32"	3/4"	\$696
ALPL6018	Aluminum Rectangle Plate	48" - 60"	6" - 18"	3/4"	\$494
ALPL6024	Aluminum Rectangle Plate	48" - 60"	18" - 24"	3/4"	\$646
ALPL6032	Aluminum Rectangle Plate	48" - 60"	24" - 32"	3/4"	\$791
ALPLCUST	Custom Aluminum Plate (We can manufacture any custom shape or size.)				Call Empire

INSTALLATION COLLAR

Installation collars provide support for the aluminum plate, allowing for any size plate to be used for a range of sizes.

Item No	Description	Retail
COLLAR	19" Universal Flexible Aluminum Installation Collar (order multiples depending on the size of the fire pit) (3" Range)	\$29
IC44SS-FF	44" x 6.2" Flexible Install Collar (2 per carton) (5" Range)	\$329.75



COLLAR



IC44SS-FF

RECTANGLE PANS

Select a Warming Trends Rectangle Plate or Pan, Crossfire™ Tree-Style, Double Tree, H-Style, or Linear Burner (see pages 114-117) and Ignition Kit (see pages 118-119) to make a complete burner system. Add your Media/Logs (see pages 120-121).

Using the Warming Trends heavy duty aluminum mounting pan with 2" sidewalls will provide a solid surface to support your burner and your media choice. This pan is fitted with the proper gas supply connection point to attach the burner to the pan.

NOTE: It is recommended to incorporate 1 vent on at least two opposing sides (2 vents total) at a minimum size of 18 sq. inches each (Example: 3"x6" or larger). Installation of the vents in the mid to lower area of the enclosure is recommended. Always consult with local municipality regarding any local code requirements. See page 119 for Vent Kit, item number FPVK.



Rectangle Pan



RECTANGLE PANS - CUT TO FIT (with 2" Welded Sidewalls) (Note: Cut to Fit pans are not returnable.)

Item No	Description	Cut Range Length	Cut Range Width	Retail
ALPAN3618	Aluminum Rectangle Pan	24" - 36"	6" - 18"	\$469
ALPAN3624	Aluminum Rectangle Pan	24" - 36"	18" - 24"	\$564
ALPAN4818	Aluminum Rectangle Pan	36" - 48"	6" - 18"	\$569
ALPAN4824	Aluminum Rectangle Pan	36" - 48"	18" - 24"	\$696
ALPAN4832	Aluminum Rectangle Pan	36" - 48"	24" - 32"	\$902
ALPAN6018	Aluminum Rectangle Pan	48" - 60"	6" - 18"	\$670
ALPAN6024	Aluminum Rectangle Pan	48" - 60"	18" - 24"	\$828
ALPAN6032	Aluminum Rectangle Pan	48" - 60"	24" - 32"	\$1,007
ALPANCUST	Custom Aluminum Pan (We can manufacture any custom shape or size.)			Call Empire

INSTALLATION COLLAR

Installation collars provide support for the aluminum pan, allowing for any size plate to be used for a range of sizes.

Item No	Description	Retail
COLLAR	19" Universal Flexible Aluminum Installation Collar (order multiples depending on the size of the fire pit) (3" Range)	\$29
IC44SS-FF	44" x 6.2" Flexible Install Collar (2 per carton) (5" Range)	\$329.75




COLLAR



IC44SS-FF

Select a Warming Trends Rectangle Plate or Pan (see pages 112-113), Crossfire™ Tree-Style Burner and Ignition Kit (see pages 118-119) to make a complete burner system. Add your Media/Logs (see pages 120-121).



TREE-STYLE CROSSFIRE BURNERS

It is recommended that the burner be 4" from edge of Fire Pit, Fire Bowl or any Fire Feature.

Item No - NG	Item No - LP	Description	Dimensions	Inlet	Retail
CFBT110NG	CFBT110LP	110,000 BTU Tree-Style Burner	5 ¼" x 13 ¾"	1/2"	\$544
CFBT170NG	CFBT170LP	170,000 BTU Tree-Style Burner	5 ¼" x 22"	1/2"	\$852
CFBT230NG	CFBT230LP	230,000 BTU Tree-Style Burner	7 ¼" x 30"	1/2"	\$1,057
CFBT290NG	CFBT290LP	290,000 BTU Tree-Style Burner	7 ¼" x 38"	1/2"	\$1,267
CFBT350NG	CFBT350LP	350,000 BTU Tree-Style Burner	7 ½" x 51 ½"	3/4"	\$1,764
CFBT410NG	CFBT410LP	410,000 BTU Tree-Style Burner	7 ½" x 60"	3/4"	\$2,065
CFBT470NG	CFBT470LP	470,000 BTU Tree-Style Burner	7 ½" x 67 ¾"	3/4"	\$2,327
CFBTCUSTNG*	CFBTCUSTLP*	Custom BTU Tree-Style Burner - Custom Size and Shape			Call Empire
3412REDUCER	Reducer ¾" to ½" (For use connecting burners with 1/2" inlet to plates with 3/4" inlet)				\$11

*Special Order - Orders shipping direct from Warming Trends in Colorado, actual freight charges will apply.

Call Empire Distributing for custom quote on a Plate, Pan, or Cover.


Pans do not have molded couplers. Burner connects directly to flex line.

- For outdoor/exterior use only.
- Modification of product will void any certification and warranty.
- Follow all installation instructions and local codes.
- Recommended to be installed by a certified plumbing professional.
- All dimensions are true and reflect Warming Trends' specifications as of the revision date.

The Warming Trends® Patent-Pending CROSSFIRE® Brass Burner utilizes cutting-edge technology to produce a taller, brighter, full flame, replicating a natural, wood burning fire – all while consuming less gas. Made from corrosion resistant and sustainable brass, CROSSFIRE® Brass Burners will not rust and come with a lifetime warranty. All burners are manufactured and assembled in the United States.

DOUBLE TREE CROSSFIRE BURNERS

Select a Warming Trends Rectangle Plate or Pan (see pages 112-113), Crossfire™ Double Tree Style Burner and Ignition Kit (see pages 118-119) to make a complete burner system. Add your Media/Logs (see pages 120-121).



DOUBLE TREE CROSSFIRE BURNERS

It is recommended that the burner be 4" from edge of Fire Pit, Fire Bowl or any Fire Feature.

Item No - NG	Item No - LP	Description	Dimensions	Inlet	Retail
CFBDT160NG	CFBDT160LP	160,000 BTU Double Tree-Style Burner	11.25" x 15.75"	1/2"	\$752
CFBDT240NG	CFBDT240LP	240,000 BTU Double Tree-Style Burner	11.25" x 23.25"	1/2"	\$1,137
CFBDT320NG	CFBDT320LP	320,000 BTU Double Tree-Style Burner	11.50" x 35.25"	3/4"	\$1,707
CFBDT400NG	CFBDT400LP	400,000 BTU Double Tree-Style Burner	11.50" x 44.25"	3/4"	\$2,137
CFBDT480NG	CFBDT480LP	480,000 BTU Double Tree-Style Burner	11.50" x 53"	3/4"	\$2,565
CFBDTCUSTNG*	CFBDTCUSTLP*	Custom BTU Double Tree-Style Burner - Custom Size and Shape			Call Empire
3412REDUCER	Reducer ¾" to ½" (For use connecting burners with 1/2" inlet to plates with 3/4" inlet)				\$11

*Special Order - Orders shipping direct from Warming Trends in Colorado, actual freight charges will apply.

Call Empire Distributing for custom quote on a Plate, Pan, or Cover.

Pans do not have molded couplers. Burner connects directly to flex line.

1. For outdoor/exterior use only.
2. Modification of product will void any certification and warranty.
3. Follow all installation instructions and local codes.
4. Recommended to be installed by a certified plumbing professional.
5. All dimensions are true and reflect Warming Trends' specifications as of the revision date.

The Warming Trends® Patent-Pending CROSSFIRE® Brass Burner utilizes cutting-edge technology to produce a taller, brighter, full flame, replicating a natural, wood burning fire – all while consuming less gas. Made from corrosion resistant and sustainable brass, CROSSFIRE® Brass Burners will not rust and come with a lifetime warranty. All burners are manufactured and assembled in the United States.

H-STYLE CROSSFIRE BURNERS

WARMING  TRENDS



Select a Warming Trends Rectangle Plate or Pan (see pages 112-113), Crossfire™ H-Style Burner and Ignition Kit (see pages 118-119) to make a complete burner system. Add your Media/Logs (see pages 120-121).

CFBH120



CFBH160



CFBH200



CFBH240



CFBH300



CFBH340



H-SYTL E CROSSFIRE BURNERS

It is recommended that the burner be 4" from edge of Fire Pit, Fire Bowl or any Fire Feature.

Item No - NG	Item No - LP	Description	Dimensions	Inlet	Retail
CFBH120NG	CFBH120LP	120,000 BTU H-Style Burner	7" x 18"	1/2"	\$642
CFBH160NG	CFBH160LP	160,000 BTU H-Style Burner	9" x 24"	1/2"	\$763
CFBH200NG	CFBH200LP	200,000 BTU H-Style Burner	9" x 30"	1/2"	\$874
CFBH240NG	CFBH240LP	240,000 BTU H-Style Burner	9" x 36"	1/2"	\$1,004
CFBH300NG	CFBH300LP	300,000 BTU H-Style Burner	14" x 42"	3/4"	\$1,300
CFBH340NG	CFBH340LP	340,000 BTU H-Style Burner	14" x 48"	3/4"	\$1,455
CFBHCUSTNG*	CFBHCUSTLP*	CUSTOM H-Style Burner			Call Empire
3412REDUCER	Reducer 3/4" to 1/2" (For use connecting burners with 1/2" inlet to plates with 3/4" inlet)				\$11

*Special Order - Orders shipping direct from Warming Trends in Colorado, actual freight charges will apply.

Call Empire Distributing for custom quote on a Plate, Pan, or Cover.

Pans do not have molded couplers. Burner connects directly to flex line.

1. For outdoor/interior use only.
2. Modification of product will void any certification and warranty.
3. Follow all installation instructions and local codes.
4. Recommended to be installed by a certified plumbing professional.
5. All dimensions are true and reflect Warming Trends' specifications as of the revision date.

The Warming Trends® Patent-Pending CROSSFIRE® Brass Burner utilizes cutting-edge technology to produce a taller, brighter, full flame, replicating a natural, wood burning fire – all while consuming less gas. Made from corrosion resistant and sustainable brass, CROSSFIRE® Brass Burners will not rust and come with a lifetime warranty. All burners are manufactured and assembled in the United States.

LINEAR CROSSFIRE BURNERS

WARMING TRENDS®



Select a Warming Trends Rectangle Plate or Pan (see pages 112-113), Crossfire™ Linear Burner and Ignition Kit (see pages 118-119) to make a complete burner system. Add your Media/Logs (see pages 120-121).

CFBL90**



CFBL110



CFBL130



CFBL150



CFBL170



CFBL190



CFBL210



CFBL250



CFBL270



LINEAR CROSSFIRE BURNERS

It is recommended that the burner be 4" from edge of Fire Pit, Fire Bowl or any Fire Feature.

Item No - NG	Item No - LP	Description	Length	Inlet	Retail
CFBL90NG**	CFBL90LP**	90,000 BTU Linear Burner	18"	1/2"	\$310
CFBL110NG	CFBL110LP	110,000 BTU Linear Burner	22"	1/2"	\$444
CFBL130NG	CFBL130LP	130,000 BTU Linear Burner	26"	1/2"	\$518
CFBL150NG	CFBL150LP	150,000 BTU Linear Burner	30"	1/2"	\$574
CFBL170NG	CFBL170LP	170,000 BTU Linear Burner	34"	1/2"	\$620
CFBL190NG	CFBL190LP	190,000 BTU Linear Burner	38"	1/2"	\$665
CFBL210NG	CFBL210LP	210,000 BTU Linear Burner	42"	1/2"	\$739
CFBL250NG	CFBL250LP	250,000 BTU Linear Burner	50"	1/2"	\$829
CFBL270NG	CFBL270LP	270,000 BTU Linear Burner	54"	1/2"	\$928
CFBLCUSTNG*	CFBLCUSTLP*	CUSTOM Linear Burner, NG			Call Empire
3412REDUCER	Reducer 3/4" to 1/2" (For use connecting burners with 1/2" inlet to plates with 3/4" inlet)				\$11

*Special Order - Orders shipping direct from Warming Trends in Colorado, actual freight charges will apply.

**While Supplies Last

Call Empire Distributing for custom quote on a Plate, Pan, or Cover.

Pans do not have molded couplers. Burner connects directly to flex line.

1. For outdoor/exterior use only.
2. Modification of product will void any certification and warranty.
3. Follow all installation instructions and local codes.
4. Recommended to be installed by a certified plumbing professional.
5. All dimensions are true and reflect Warming Trends' specifications as of the revision date.

The Warming Trends® Patent-Pending CROSSFIRE® Brass Burner utilizes cutting-edge technology to produce a taller, brighter, full flame, replicating a natural, wood burning fire – all while consuming less gas. Made from corrosion resistant and sustainable brass, CROSSFIRE® Brass Burners will not rust and come with a lifetime warranty. All burners are manufactured and assembled in the United States.

IGNITION KITS



Match Light Key Valve Kit
FK1



Match Light Key Valve Kit
FK2



P24VIK



Adjustable Key Valve Extension
FP.EXT



Push Button Ignition
w/ Paver Block Mounting Bracket
PBIK-PBMBR

MATCH LIGHT

Item No	Description	BTU's	Retail
FK1	Key Valve Kit (Includes: 36" L x 3/4" Diameter Whistle Free Flex Line; 3/4" Connector; 3/4" Key Valve; 12" & 3" Key)	up to 249,000	\$180
FK2	Key Valve Kit (Includes: (2) 36" L x 3/4" Whistle Free Flex Lines, 3/4"-1/2" Reducing Nipple, (2) 3/4" T Fittings, (2) 3" L x 3/4" Pipe Nipple, 3/4" Key Valve, and 12" & 3" Key)	250,000+	\$393
FP.EXT	12" Adjustable Key Valve Extension with 1/2" Banded Coupling		\$16

PUSH BUTTON

Item No	Description	BTU's	Retail
PBMBRFK1	Push Button Ignition Kit (Includes: Paver Block Mounting Bracket, & FK1)	up to 249,000	\$389
PBMBRFK2	Push Button Ignition Kit (Includes: Paver Block Mounting Bracket, & FK2)	250,000+	\$585
PBIK	Push Button Ignition Kit (Spark Igniter rod, wire, and Push Button Operated Control Module)		\$56
PBIK-PBMBR	Push Button Ignition Kit w/ Paver Block Mounting Bracket (for easy mounting of your PBIK into your paver kit)		\$147
PBMBR	Paver Block Mounting Bracket		\$91

ELECTRONIC *(Requires Match Light Kit to complete)*

All Electronic Ignition Kits must be factory installed and fire pits must be covered to fulfill warranty requirements.
24V Electronic Ignition Kits are water resistant. **Does NOT include wall switch and remote.** Requires a 110V outlet.

Item No - NG	Item No - LP	Description	Max BTU's	Retail
P24VIK-SCCG-NG*	P24VIK-SCCG-LP*	Standard Capacity Electronic Ignition Kit	290,000	\$1,945
P24VIK-HCCG-NG*	P24VIK-HCCG-LP*	High Capacity Electronic Ignition Kit	512,000	\$2,095

*All burners with Electronic Ignitions will ship FOB Colorado.

IGNITION KIT ACCESSORIES



Gas Valve Keys



Drip Leg Kit
DRIP12



Fire Pit Vent Kit
(Set of 2)
FPVK



Vent
(Set of 1)
VENTBLOCK-BLK



LP Regulator
with Hose - LPRH



Whistle Free Flex Line
FL3612



Gas Ball Valve,
Straight, BVS2



Key Chain Remote Control
& Receiver - KCRC



Emergency Stop
EMERSTOP



Digital Timer
DT12HRNB

GAS VALVE KEYS

Item No - Brass	Item No. - Chrome	Description	Retail
NKY.8.BR	NKY.8.CR	8" Gas Valve Key	\$10
NKY.12.BR	NKY.12.CR	12" Gas Valve Key	\$15
NKY.18.BR	NKY.18.CR	18" Gas Valve Key	\$21
NKY.24.BR	NKY.24.CR	24" Gas Valve Key	\$28

ACCESSORIES

Item No	Description	Retail
DRIP12	1/2" Drip Leg Kit, fits any plate and pan with 1/2" inlet	\$55
DRIP34	3/4" Drip Leg Kit, fits any plate and pan with 3/4" inlet	\$75
FPVK	Fire Pit Vent Kit (Set of 2) (4" x 12", includes hardware)	\$55
VENTBLOCK-BLK	Vent 4" x 8 1/2" Rectangular (1 Vent)	\$35
3412REDUCER	Reducer 3/4" to 1/2" (For use connecting burners with 1/2" inlet to plates with 3/4" inlet)	\$11
LPRH	LP Regulator with a 3/8" 10' Hose (Will only allow flow for up to 180K BTU's. For use with a 20 lb LP tank)	\$175
FL3634	36"L x 3/4" Diameter Whistle Free Flex Line; 3/4" Connector	\$130
BVS2	3/4" - 1/4 Turn Ball Valve - Straight	\$36

ELECTRONIC ACCESSORIES

Item No	Description	Retail
KCRC	Wireless Key Chain Remote Control & Plug In Receiver - Universal	\$45
EMERSTOP	Emergency Stopper Station (Yellow Shell, Mini Weather Stopper Lift Cover w/ Spacer, Turn to Reset Illuminated Red Octagon PUSH button)	\$337
DT12HRNB	12 Hour Dial Timer - Mounted in NEMA 3 Rated Enclosure	\$451
DT2HRNB	2 Hour Dial Timer - Mounted in NEMA 3 Rated Enclosure	\$433

LOG SETS

REFRACTORY LOG SETS

See Media Calculator on page 127.

Outdoor fire pit log sets are for use with outdoor burner systems.

Item No	Description	Pieces	Fire Pit Inside Dimensions	Retail
WCS2006FL	20" Wilderness Char	6	18" - 24"	\$243
WCS3010FL	30" Wilderness Char	10	24" - 40"	\$714
WCS5019FL	50" Wilderness Char	19	40" - 60"	\$1,377
WOS3008FL	30" Wilderness Oak	8	24" - 40"	\$460
WOS5014FL	50" Wilderness Oak	14	40" - 60"	\$898
WMS2017FLG	20" Wilderness Campfire w/ Grate	17	18" - 24"	\$830
WMS3026FLG	30" Wilderness Campfire w/ Grate	26	24" - 40"	\$1,237



Wilderness Char Fire Pit Log Set



Wilderness Oak Fire Pit Log Set



Wilderness Campfire Fire Pit Log Set

FIREGLASS



See Media Calculator on page 127.

When using glass, double the recommended lava rock weight.

REFLECTIVE FIREGLASS ½" Crushed

Item No	Description	Tub Size	Retail
EG25-R03MP	Black Reflective	25 lb	\$149
EG25-R05MP	Bronze Reflective	25 lb	\$149
EG25-R02MP	Cobalt Blue Reflective	25 lb	\$149
EG25-R01MP	Copper Reflective	25 lb	\$149
EG25-R04MP	Sky Blue Reflective	25 lb	\$149
EG25-R09MP	Silver Reflective	25 lb	\$149



Black



Bronze



Cobalt



Copper



Sky Blue



Silver

CLASSIC FIREGLASS ½" Crushed

Item No	Description	Tub Size	Retail
EG25-L12MP	Amber Classic	25 lb	\$149
EG25-L02MP	Black Classic	25 lb	\$149
EG25-L13MP	Cobalt Blue Classic	25 lb	\$149
EG25-L01MP	Ice Clear Classic	25 lb	\$149
EG25-L05MP	Ocean Blue Classic	25 lb	\$149
EG25-L04MP	Turquoise Classic	25 lb	\$149



Amber Classic



Black Classic



Cobalt



Ice



Ocean Blue



Turquoise

When using lava stone, double the recommended lava rock weight.

LAVA ROCK & STONE

Item No	Description	Rock/Stone Size	Bag Size	Retail
BLR	Lava Rock, Black	1" - 1 ½"	40 lb	\$45
NL-3050	Tumbled Lava Stone, Medium	1" - 2"	50 lb	\$189
NL-5080	Tumbled Lava Stone, Large	2" - 3"	50 lb	\$189



BLR
1" - 1 ½"



NL-3050
1" - 2"



NL-5080
2" - 3"

FIRE PIT COVERS



We recommend you add a cover to any fire feature to prevent water build up in your gas lines. Water build up could cause issues in your fire pit performance. A cover is required with any Warming Trends system utilizing a 24V electronic ignition system. All covers are 1/8" thick Aluminum and Powder Coated Charcoal Gray with a UV protected paint.

Note: If ordering a cover for a fire feature with an electronic ignition, you must special order a cover with a skirt. Call for details.

CIRCULAR COVERS

Item No	Description	Handles	Retail
SC26C-CG	26" Powder Coated Cover, Circular	2	\$272
SC32C-CG	32" Powder Coated Cover, Circular	2	\$358
SC38C-CG	38" Powder Coated Cover, Circular	2	\$515
SC44C-CG	44" Powder Coated Cover, Circular	2	\$689
SC50C-CG	50" Powder Coated Cover, Circular (2 piece)	2	\$922



Circular Cover
1 piece



50" Circular Cover
2 piece

SQUARE COVERS

Item No	Description	Handles	Retail
SC26S-CG	26" Powder Coated Cover, Square	2	\$272
SC32S-CG	32" Powder Coated Cover, Square	2	\$358
SC38S-CG	38" Powder Coated Cover, Square	2	\$515
SC44S-CG	44" Powder Coated Cover, Square	2	\$689
SC50S-CG	50" Powder Coated Cover, Square (2 piece)	2	\$922



Square Cover
1 piece

RECTANGLE COVERS

Item No	Description	Handles	Retail
SC3012R-CG	30" x 12" Powder Coated Cover, Rectangle	2	\$283
SC4016R-CG	40" x 16" Powder Coated Cover, Rectangle	2	\$330
SC5020R-CG	50" x 20" Powder Coated Cover, Rectangle (2 piece)	2	\$493



Rectangle Custom Cover
2 handle

CUSTOM COVERS

Available in any shape or size your project requires. All custom covers will ship FOB direct from the manufacturer. There is a minimum custom cover charge of \$280 Retail.

Item No	Description	Retail
SC-CUST-TB*	Fire Pit Custom Cover, Textured Bronze	Call for Pricing
SC-CUST-CG*	Fire Pit Custom Cover, Charcoal Gray	

Note: Optional skirts available.
Call for Pricing.



*Special Order



**SPECIAL
ORDER**

We recommend you add a cover to any fire feature to prevent water build up in your gas lines. Water build up could cause issues in your fire pit performance. A cover is required with any Warming Trends system utilizing a 24V electronic ignition system. All covers are Aluminum which will not rust or tarnish.

SHIPS FROM COLORADO

CIRCULAR COVERS

Item No	Description	Fits Opening Size	Handles	Retail
FPC20C	20" Aluminum Cover, Circular	18"	1	\$231
FPC26C	26" Aluminum Cover, Circular	24"	1	\$315
FPC32C	32" Aluminum Cover, Circular	30"	1	\$456
FPC38C	38" Aluminum Cover, Circular	36"	2	\$757
FPC44C	44" Aluminum Cover, Circular	42"	2	\$809
FPC50C	50" Aluminum Cover, Circular	48"	2	\$965



CIRCULAR COVER

1 handle

SQUARE COVERS

Use the Burner Pit Cover to protect your fire pit from the elements, give it that finished look, and keep unwanted debris out of the fire pit.

Item No	Description	Fits Opening Size	Handles	Retail
FPC20S	20" Aluminum Cover, Square	18"	1	\$231
FPC26S	26" Aluminum Cover, Square	24"	1	\$315
FPC32S	32" Aluminum Cover, Square	30"	1	\$456
FPC38S	38" Aluminum Cover, Square	36"	2	\$757
FPC44S	44" Aluminum Cover, Square	42"	2	\$809
FPC50S	50" Aluminum Cover, Square	48"	2	\$965



SQUARE COVER

2 handles (Shown)

CUSTOM COVERS

Available in any shape or size your project requires. All custom covers will ship FOB direct from the manufacturer.

Item No	Description	Retail
FPCCUST	Custom Cover, Aluminum	Call for Pricing



CUSTOM COVER

2 handles (Shown)

*Special Order - Orders shipping direct from Warming Trends in Colorado, actual freight charges will apply.

WIND GUARDS



Fire Pit Flame Guards provide an additional safety barrier, help maintain a central flame during the evening breeze, all while providing an enhanced fire elegance by reflecting the flames on the glass surfaces. Made from tempered glass, all our Fire Pit Flame Guards are heat resistant with polished edges, and designed for use with any fire pit.

LINEAR

(Glass Clips Included)

Item No	Description	Inside Assembled Dimension (LxWxH)	Retail
FG-LCB-30*	Linear Glass Wind Guard	35.5" x 11.5" x 6"	\$200
FG-LCB-36*	Linear Glass Wind Guard	41.5" x 11.5" x 6"	\$220
FG-LCB-48*	Linear Glass Wind Guard	53.5" x 11.5" x 6"	\$230
FG-LCB-60*	Linear Glass Wind Guard	65.5" x 11.5" x 6"	\$250



Linear

RECTANGLE

(Glass Clips Included)

Item No	Description	Inside Assembled Dimension (LxWxH)	Retail
FG-AFPP-24*	Rectangular Glass Wind Guard	29.5" x 13.5" x 6"	\$210
FG-AFPP-30*	Rectangular Glass Wind Guard	35.5" x 15.5" x 6"	\$230
FG-AFPP-36*	Rectangular Glass Wind Guard	41.5" x 17.5" x 6"	\$250
FG-AFPP-48*	Rectangular Glass Wind Guard	53.5" x 19.5" x 6"	\$270



Rectangle

SQUARE

(Glass Clips Included)

Item No	Description	Inside Assembled Dimension (LxWxH)	Retail
FG-SQP-24*	Square Glass Wind Guard	29.5" x 29.5" x 6"	\$210
FG-SQP-30*	Square Glass Wind Guard	35.5" x 35.5" x 6"	\$220
FG-SQP-36*	Square Glass Wind Guard	41.5" x 41.5" x 6"	\$240



Square

ROUND

(Glass Clips Included)

Item No	Description	Inside Assembled Dimension (WxH)	Retail
FG-RSP-19*	Round Glass Wind Guard	23" x 8"	\$340
FG-RSP-25*	Round Glass Wind Guard	29" x 8"	\$440



Round

DIY WIND GUARD CLIPS

(For use with 1/8" glass. Glass not included)

Item No	Description	Retail
GC-90KIT	Wind Guard Clips (Includes: 8 clips to complete square or rectangle wind guard 36" or smaller per side. Glass not included)	\$36
GCS-90KIT	Wind Guard Clips (Includes: 12 clips to complete square or rectangle wind guard 37" or longer per side. Glass not included)	\$43



GC-90 Kit (8 pc)



GCS-90 Kit (12 pc)

*While Supplies Last

Custom sized Wind Guards available. Call Empire for details.

WIND GUARDS



Round



Square



Rectangle



Linear

ROUND

(Glass Clips Included)

Item No	Description	Outside Assembled Diameter	Retail
WG23-RD	Round Glass Wind Guard	23" Outside Diameter	\$281.34
WG30-RD	Round Glass Wind Guard	30" Outside Diameter	\$337.39
WG38-RD	Round Glass Wind Guard	38" Outside Diameter	\$422.12
WG48-RD	Round Glass Wind Guard	48" Outside Diameter	\$530.55

SQUARE

(Glass Clips Included)

Item No	Description	Outside Assembled Dimension (LxWxH)	Retail
WG25-SQ	Square Glass Wind Guard	25" x 25" x 6"	\$192.88
WG31-SQ	Square Glass Wind Guard	31" x 31" x 6"	\$208.86
WG37-SQ	Square Glass Wind Guard	37" x 37" x 6"	\$230.15
WG43-SQ	Square Glass Wind Guard	43" x 43" x 6"	\$249.16
WG49-SQ	Square Glass Wind Guard	49" x 49" x 6"	\$281.34

RECTANGLE

(Glass Clips Included)

Item No	Description	Outside Assembled Dimension (LxWxH)	Retail
WG31X19-RECT	Rectangle Glass Wind Guard	31" x 19" x 6"	\$213.03
WG37X19-RECT	Rectangle Glass Wind Guard	37" x 19" x 6"	\$229.02
WG43X21-RECT	Rectangle Glass Wind Guard	43" x 21" x 6"	\$249.16
WG49X21-RECT	Rectangle Glass Wind Guard	49" x 21" x 6"	\$273.22
WG61X23-RECT	Rectangle Glass Wind Guard	61" x 23" x 6"	\$321.39

LINEAR

(Glass Clips Included)

Item No	Description	Outside Assembled Dimension (LxWxH)	Retail
WG31X15-L	Linear Glass Wind Guard	31" x 15" x 6"	\$208.86
WG43X15-L	Linear Glass Wind Guard	43" x 15" x 6"	\$241.28
WG55X15-L	Linear Glass Wind Guard	55" x 15" x 6"	\$297.33
WG67X15-L	Linear Glass Wind Guard	67" x 15" x 6"	\$329.51

WIND GUARD CLIPS

(For use with 1/8" glass. Glass not included)

Item No	Description	Retail
GC-90KIT	Wind Guard Clips (Includes: 8 clips to complete square or rectangle wind guard 36" or smaller per side. Glass not included)	\$36
GCS-90KIT	Wind Guard Clips (Includes: 12 clips to complete square or rectangle wind guard 37" or longer per side. Glass not included)	\$43



GC-90 Kit (8 pc)



GCS-90 Kit (12 pc)

Custom sized Wind Guards available. Call Empire for details.

29 1/4" BURNER SYSTEM

WARMING TRENDS



These Warming Trends kits come with everything you need to complete a basic installation of a gas burner in a 30" (inside diameter) fire pit. These kits also feature a discounted bundled price. A customer may add any number of accessories to complete their project including media, logs, and burner cover.

FOR USE WITH:

- Valencia, Techo-Bloc
- Countryside, Belgard
- Flagstone, Belgard
- Serafina, Nicolock
- 30" Round, Genest

29 1/4" BURNER SYSTEM

Item No - NG	Item No - LP	Description	Retail
VAL-ML-180NG	VAL-ML-180LP	Burner System w/ Match Light Ignition , 180K Includes: 180,000 BTU Burner, 29 1/4" Plate, and FK1 Match Light Key Valve Kit	\$1,176
VAL-PBI-180NG	VAL-PBI-180LP	Burner System w/ Push Button Ignition , 180K Includes: 180,000 BTU Burner, 29 1/4" Plate, and PBFK1 Push Button Ignition Kit	\$1,234

INSTALLATION COLLAR

Installation collars provide support for the aluminum plate, allowing for any size plate to be used for a range of sizes.

Item No	Description	Retail
COLLAR	19" Universal Flexible Aluminum Installation Collar (order multiples depending on the size of the fire pit) (3" Range)	\$29
IC44SS-FF	44" x 6.2" Flexible Install Collar (2 per carton) (5" Range)	\$329.75



COLLAR



IC44SS-FF

ACCESSORIES

Item No	Description	Retail
FP.EXT	12" Adjustable Key Valve Extension with 1/2" Banded Coupling	\$16.00
FPVK	Fire Pit Vent Kit - Set of 2 (4" x 12", includes hardware)	\$55.00
VENT-VAL	Valencia Vent	\$166.67
VENT-VAL-KV	Valencia Vent w/ Key Valve Hole (Includes FP.EXT)	\$292.92
VENT-VAL-KVPB	Valencia Vent w/ Key Valve Hole & Push Button Hole (Includes FP.EXT & PBIK)	\$348.92

All Electronic Ignition Accessories are found on pages 118-119.



180,000 BTU Burner and Plate



Match Light Key Valve Kit



Push Button Ignition Kit

MEDIA CALCULATOR & GAS PIPE SIZE CHART

FIREGLASS MEDIA CALCULATOR


Calculations are for Fire Pits with 3" Media Depth. Measure INSIDE Diameter of Fire Pit.

Square/Rectangular

Length x Width x 0.16 = Total Fireglass Weight

	12"	18"	24"	30"	36"	42"	48"	54"	60"	66"	72"
12"	23	35	46	58	69	81	92	104	115	127	138
18"	35	52	69	86	104	121	138	156	173	190	207
24"	46	69	92	115	138	161	184	207	230	253	276
30"	58	86	115	144	173	202	230	259	288	317	346
36"	69	104	138	173	207	242	276	311	346	380	415
42"	81	121	161	202	242	282	323	363	403	444	484
48"	92	138	184	230	276	323	369	415	461	507	553
54"	104	156	207	259	311	363	415	467	518	570	622
60"	115	173	230	288	346	403	461	518	576	634	691
66"	127	190	253	317	380	444	507	570	634	697	760
72"	138	207	276	346	415	484	553	622	691	760	829

Note: For rectangular fireplaces, use the same front width as back width



Round

Radius x Radius x 3.14 x 0.16 = Total Fireglass Weight
(Radius = Diameter x .5)

Diameter	Fireglass/Lbs.
12"	18
14"	25
16"	32
18"	41
20"	50
22"	61
24"	72
26"	85
28"	98
30"	113

Diameter	Fireglass/Lbs.
32"	129
34"	145
36"	163
38"	181
40"	201
42"	222
44"	243
46"	266
48"	289
50"	314



LAVA STONE CALCULATOR

Lava Stone = Total Fireglass Weight

LAVA ROCK CALCULATOR

Fireglass Weight / 2 = Total Lava Rock Weight

GAS PIPE SIZE CHART

Natural Gas Pipe Sizing Chart

Length of Pipe in Feet	Size of Pipe in Inches								
	½"	¾"	1"	1 ¼"	1 ½"	2"	2 ½"	3"	4"
10	108	230	387	793	1237	2259	3640	6434	
20	75	160	280	569	877	1610	2613	5236	9521
30	61	129	224	471	719	1335	2165	4107	7859
40	52	110	196	401	635	1143	1867	3258	6795
50	46	98	177	364	560	1041	1680	2936	6142
60	42	89	159	336	513	957	1559	2684	5647
70	38	82	149	317	476	896	1447	2492	5250
80	36	76	140	239	443	840	1353	2315	4900
90	33	71	133	275	420	793	1288	2203	4667
100	32	68	126	266	411	775	1246	2128	4518
125	28	60	117	243	369	700	1143	1904	4065
150	25	54	105	215	327	625	1008	1689	3645

Natural Gas flow is given in thousands of BTU/hour. One cubic foot of NG gas = 1000 BTU's.
NG Example: A burner that requires 224,000 BTU would need a 1" pipe for a 30' long run.

Liquid Propane Pipe Sizing Chart

Length of Pipe in Feet	Size of Pipe in Inches								
	½"	¾"	1"	1 ¼"	1 ½"	2"	2 ½"	3"	4"
10	275	567	1071	2205	3307	6221	10140	17990	35710
20	189	393	732	1496	2299	4331	7046	12510	25520
30	152	315	590	1212	1858	3465	5695	10110	20620
40	129	267	504	1039	1559	2992	4778	8481	17300
50	114	237	448	913	1417	2646	4343	7708	15730
60	103	217	409	834	1275	2394	3908	6936	14150
80	89	185	346	724	1086	2047	3329	5908	12050
100	78	162	307	630	976	1811	2991	5309	10830
125	69	146	275	567	866	1606	2654	4711	9613
150	63	132	252	511	787	1496	2412	4281	8736

Liquid Propane flow is given in thousands of BTU/hour. One cubic foot of LP gas = 2516 BTU's.
LP Example: A burner that requires 252,000 BTU would need a 1" pipe for a 150' long run.

Note for NG & LP: Pipe length must include additional length for all fittings.
Add approximately 5 feet of pipe per fitting.